



# Bekenflo

BEST OEM


INNOVATION

## CATALOGUE 2020

# SRN series Side Channel Pumps

## Applications:

- Chemical Industry
- Petro-chemical industry
- Oil Industry
- Machinery and automobile industry
- Food Industry
- Building Trades
- Plastic and rubber industry
- Surface Treatment.
- Shipyards.




## SPECIFICATIONS:

- Speed: 1450rpm(max 1800rpm)
- Capacity: 2-35m<sup>3</sup>/h
- Head: 6-350m(max)
- Working Condition: 16 bar-40bar ( max )
- Temperature of liquid: -40°C to 220°C , PH=0-14
- Application Std : DIN 2501 std of Flange PN16




## Remarks:

We have been OEM for many brands from Europe and USA

## Performance Curve




Operating pressure: < 25 bar  
For supplying heaters or the chemical industry, etc



Operating pressure: < 40 bar - complies with DIN 24254

Operating pressure: < 16 bar  
For industries or general services, etc.



# Brands interchangeable:

Sulzer APP/AUP/CPT/MBN/MC/ZE,  
Andritz ACP/MC, Godwin, Pioneer, KSB, Goulds 3196,  
Durco Mark III, Gorman-rupp. Monoyo/Seepex/Netzsch,  
Warman AH, Flowserve LC, Tsurumi pump, etc.



Fuzhou Beken Fluid Co.,LTD.

Add:11th floor, ZhongMing TianAo Building,  
No.169 Hudong Road, GuLou District,Fuzhou,Fujian,China.

Tel: 0086-591-87557702

Fax: 0086-591-87557702

Website:www.bekenflo.com

Email: sales@bekenflo.com

Mobile: 0086-18065068870.

