



Bekenflo

BEST OEM


INNOVATION

CATALOGUE 2020

DRC series ANSI Chemical Process Pumps

Applications:

Acid Transfer
Brine
Chemical Processing
Petrochemical Processing
Corrosive services
Food and beverage Processing
Hydrocarbon processing
Pharmaceuticals
Polymers
Pulp and paper
Sea water
Slurries
Solvents
Steel and primary metals
Water and waste water Treatment




SPECIFICATIONS:




Speed: 1500rpm--2900rpm/1750rpm--3500rpm
Capacity: 1680m³/h (7400usgpm) (max)
Head: 215m(700ft) (max)
Pressure: 27bar (400psi)
Temperature of liquid: -73°C to 370°C , PH=0-14
Manufactured to meet ANSI/ASME B73.1 standard

Remarks:

We have been OEM for many brands from Europe and USA

Constructure:





Brands interchangeable:

Sulzer APP/AUP/CPT/MBN/MC/ZE,
Andritz ACP/MC, Godwin, Pioneer, KSB, Goulds 3196,
Durco Mark III, Gorman-rupp. Monoyo/Seepex/Netzsch,
Warman AH, Flowserve LC, Tsurumi pump, etc.



Fuzhou Beken Fluid Co.,LTD.

Add:11th floor, ZhongMing TianAo Building,
No.169 Hudong Road, GuLou District,Fuzhou,Fujian,China.

Tel: 0086-591-87557702

Fax: 0086-591-87557702

Website:www.bekenflo.com

Email: sales@bekenflo.com

Mobile: 0086-18065068870.

